

Алматы (7273)495-231 Ангарск (3955)60-70-56 Архангельск (8182)63-90-72 Астрахань (8512)99-46-04 Барнаул (3852)73-04-60 Белгород (4722)40-23-64 Благовещенск (4162)22-76-07 Брянск (4832)59-03-52 Владивосток (423)249-28-31 Владикавказ (8672)28-90-48 Владимир (4922)49-43-18 Волгоград (844)278-03-48 Вологда (8172)26-41-59 Воронеж (473)204-51-73 Екатеринбург (343)384-55-89	Иваново (4932)77-34-06 Ижевск (3412)26-03-58 Иркутск (395)279-98-46 Казань (843)206-01-48 Калининград (4012)72-03-81 Калуга (4842)92-23-67 Кемерово (3842)65-04-62 Киров (8332)68-02-04 Коломна (4966)23-41-49 Кострома (4942)77-07-48 Краснодар (861)203-40-90 Красноярск (391)204-63-61 Курск (4712)77-13-04 Курган (3522)50-90-47 Липецк (4742)52-20-81	Магнитогорск (3519)55-03-13 Москва (495)268-04-70 Мурманск (8152)59-64-93 Набережные Челны (8552)20-53-41 Нижний Новгород (831)429-08-12 Новокузнецк (3843)20-46-81 Ноябрьск (3496)41-32-12 Новосибирск (383)227-86-73 Омск (3812)21-46-40 Орел (4862)44-53-42 Оренбург (3532)37-68-04 Пенза (8412)22-31-16 Петрозаводск (8142)55-98-37 Псков (8112)59-10-37 Пермь (342)205-81-47	Ростов-на-Дону (863)308-18-15 Рязань (4912)46-61-64 Самара (846)206-03-16 Санкт-Петербург (812)309-46-40 Саратов (845)249-38-78 Севастополь (8692)22-31-93 Саранск (8342)22-96-24 Симферополь (3652)67-13-56 Смоленск (4812)29-41-54 Сочи (862)225-72-31 Ставрополь (8652)20-65-13 Сургут (3462)77-98-35 Сыктывкар (8212)25-95-17 Тамбов (4752)50-40-97 Тверь (4822)63-31-35	Тольятти (8482)63-91-07 Томск (3822)98-41-53 Тула (4872)33-79-87 Тюмень (3452)66-21-18 Ульяновск (8422)24-23-59 Улан-Удэ (3012)59-97-51 Уфа (347)229-48-12 Хабаровск (4212)92-98-04 Чебоксары (8352)28-53-07 Челябинск (351)202-03-61 Череповец (8202)49-02-64 Чита (3022)38-34-83 Якутск (4112)23-90-97 Ярославль (4852)69-52-93
Россия +7(495)268-04-70		Казахстан +7(717)727-132		Киргизия +996(312)96-26-47

https://luve.nt-rt.ru || uev@nt-rt.ru

Охладители жидкости EHL-EAL


EHL Ø 900 - EAL Ø 800-900

Raffreddatori di liquido
Dry coolers



139 - 996 kW

Modello	Model	EHL90F (2,1 mm)			364B	366B			368A	370A						
Potenza	Capacity	☐ kW (ΔT 15K) Glycol 34%			316	255	347	266		470	380	514	400			
Fluido refrigerante		m³/h Portata Flowrate			58,9	47,6	64,8	49,6		87,5	70,9	95,8	74,6			
Refrigerant fluid		kPa Perdita di carico Pressure drop			63	42	56	34		29	20	27	17			
Portata d'aria	Air quantity	m³/h			106000	76000	98000	68400		159000	114000	147000	102200			
Assorbimento motori		W			13000	8000	13000	8000		19500	12000	19500	12000			
Motor power consumption	6P Ø900(F)	A			24,0	14,0	24,0	14,0		36,0	21,0	36,0	21,0			
Livello pressione sonora	Sound pressure level	dB (A) (total)			62	55	62	55		64	57	64	57			
Attacchi	Connections	Ø"			4"		4"			2 x 4"		2 x 4"				
Modello	Model	EAL9N (2,1 mm)			6221B	6222B			6231A	6232A						
Potenza	Capacity	☐ kW (ΔT 15K) Glycol 34%			281	234	305	244		415	347	453	362			
Fluido refrigerante		m³/h Portata Flowrate			52,4	43,8	57,1	45,5		77,6	64,8	84,7	67,7			
Refrigerant fluid		kPa Perdita di carico Pressure drop			49	35	43	28		22	16	20	13			
Portata d'aria	Air quantity	m³/h			94000	70400	88000	64000		141000	105600	132000	96000			
Assorbimento motori		W			9600	6360	9600	6360		14400	9540	14400	9540			
Motor power consumption	6P Ø900	A			20,8	12	20,8	12		31,2	18	31,2	18			
Livello pressione sonora	Sound pressure level	dB (A) (total)			58	51	58	51		60	53	60	53			
Attacchi	Connections	Ø"			4"		4"			2 x 4"		2 x 4"				
Modello	Model	EAL8S (2,1 mm)			7221B	7222B			7231A	7232E						
Potenza	Capacity	☐ kW (ΔT 15K) Glycol 34%			243	206	263	215		356	305	402	331			
Fluido refrigerante		m³/h Portata Flowrate			45,5	38,5	49,2	40,2		66,5	57,1	75,1	61,8			
Refrigerant fluid		kPa Perdita di carico Pressure drop			38	28	33	22		17	13	65	45			
Portata d'aria	Air quantity	m³/h			77200	58000	72800	55200		115800	87000	109200	82800			
Assorbimento motori		W			6800	4600	6800	4600		10200	6900	10200	6900			
Motor power consumption	6P Ø800	A			14,8	8,4	14,8	8,4		22,2	12,6	22,2	12,6			
Livello pressione sonora	Sound pressure level	dB (A) (total)			52	45	52	45		54	47	54	47			
Attacchi	Connections	Ø"			4"		4"			2 x 4"		2 x 4"				
Modello	Model	EAL9X (2,1 mm)	1220E	1221B	1222F	1230A	1231E	1232E	1240A							
Potenza	Capacity	☐ kW (ΔT 15K) Glycol 34%	188	160	216	173	220	170	284	238	340	270	345	255	388	325
Fluido refrigerante		m³/h Portata Flowrate	35,1	29,9	40,3	32,3	41,2	31,8	52,9	44,3	63,3	50,3	64,4	47,7	72,2	60,5
Refrigerant fluid		kPa Perdita di carico Pressure drop	42	31	31	21	53	33	30	21	78	52	50	29	62	44
Portata d'aria	Air quantity	m³/h	65600	49200	60800	44400	56400	40400	98400	73800	91200	66600	84600	60600	131200	98400
Assorbimento motori		W	3440	2120	3440	2120	3440	2120	5160	3180	5160	3180	5160	3180	6880	4240
Motor power consumption		A	8,8	4,6	8,8	4,6	8,8	4,6	13,2	6,9	13,2	6,9	13,2	6,9	17,6	9,2
Livello pressione sonora	Sound pressure level	dB (A) (total)	47	40	47	40	47	40	49	42	49	42	49	42	50	43
Attacchi	Connections	Ø"	2 x 2 1/2"		4"		4"		2 x 2 1/2"		2 x 4"		2 x 4"		2 x 2 1/2"	
Modello	Model	EAL8T (2,1 mm)	8220E	8221B	8222F	8230N	8231E	8232E	8240N							
Potenza	Capacity	☐ kW (ΔT 15K) Glycol 34%	173	149	199	163	212	166	254	219	305	249	320	252	350	301
Fluido refrigerante		m³/h Portata Flowrate	32,4	27,9	37,2	30,5	39,6	31,0	47,5	40,9	57	46,7	59,9	47,0	65,4	56,4
Refrigerant fluid		kPa Perdita di carico Pressure drop	35	27	26	18	48	31	23	18	62	43	42	27	49	37
Portata d'aria	Air quantity	m³/h	60800	47600	56800	43600	52000	39200	91200	71400	85200	65400	78000	58800	121600	95200
Assorbimento motori		W	3280	2080	3280	2080	3280	2080	4920	3120	4920	3120	4920	3120	6560	4160
Motor power consumption		A	9,2	4,4	9,2	4,4	9,2	4,4	13,8	6,6	13,8	6,6	13,8	6,6	18,4	8,8
Livello pressione sonora	Sound pressure level	dB (A) (total)	45	40	45	40	45	40	47	42	47	42	47	42	48	43
Attacchi	Connections	Ø"	2 x 2 1/2"		4"		4"		2 x 2 1/2"		2 x 4"		2 x 4"		2 x 2 1/2"	
Modello	Model	EAL9U (2,1 mm)	5220E	5221F		5230E	5231B		5240A							
Potenza	Capacity	☐ kW (ΔT 15K) Glycol 34%	139	117	152	121			215	181	230	182			280	237
Fluido refrigerante		m³/h Portata Flowrate	26	21,9	28,3	22,6			40,1	33,8	43	34			52,3	44,2
Refrigerant fluid		kPa Perdita di carico Pressure drop	24	17	40	27			71	52	44	29			32	24
Portata d'aria	Air quantity	m³/h	40800	32000	37600	28800			61200	48000	56400	43200			81600	64000
Assorbimento motori		W	1100	700	1100	700			1650	1050	1650	1050			2200	1400
Motor power consumption	12P Ø900	A	3,2	1,6	3,2	1,6			4,8	2,4	4,8	2,4			6,4	3,2
Livello pressione sonora	Sound pressure level	dB (A) (total)	36	30	36	30			38	32	38	32			39	33
Attacchi	Connections	Ø"	2 x 2 1/2"		4"				2 x 2 1/2"		4"				2 x 2 1/2"	
DATI COMUNI / COMMON DATA																
		Ø 800-900 mm x n°	4 ☺		4 ☺		4 ☺		6 ☺☺		6 ☺☺		6 ☺☺		8 ☺☺☺	
Elettroventilatori		Collegamento Connection	△	△	△	△	△	△	△	△	△	△	△	△	△	△
Fans																
Superficie esterna	TURBOCOIL External surface	m²	350		525,2		700,4		525		787,8		1050,6		700	
Superficie interna	Internal surface	m²	22,4		33,6		44,8		33,6		50,5		67,3		44,8	
Volume circuito	Circuit volume	dm³	72		118		145		98		158		199		125	
Peso	Weight	kg	645		723		794		920		1047		1153		1200	



- ☐ Potenza con tubi puliti
☐ Capacity with clean tubes

Attacchi lati opposti: A-F-N
Connections opposite sides: A-F-N



	372A		374A				376N		378N				380N		382N	
	640	520	701	542			812	660	888	688			990	800	1080	830
	119,2	96,9	130,6	101			151,3	123	165,4	128,1			184,3	149	201,1	154,7
	62	42	55	34			94	65	73	45			156	106	119	73
	212000	152000	196000	136800			265000	190000	245000	171000			318000	228000	294000	205200
	26000	16000	26000	16000			32500	20000	32500	20000			39000	24000	39000	24000
	48,0	28,0	48,0	28,0			60,0	35,0	60,0	35,0			72,0	42,0	72,0	42,0
	65	58	65	58			66	59	66	59			67	60	67	60
	2 x 4"		2 x 4"				3 x 4"		3 x 4"				3 x 4"		3 x 4"	
	6241A		6242A				6251N		6252N				6261N		6262N	
	572	478	623	497			725	605	788	628			879	732	953	759
	107,0	89,3	116,4	92,9			135,6	113,1	147,2	117,4			164,3	136,8	178,3	141,9
	48	35	42	28			73	53	56	37			121	86	91	60
	188000	140800	176000	128000			235000	176000	220000	160000			282000	211200	264000	192000
	19200	12720	19200	12720			24000	15900	24000	15900			28800	19080	28800	19080
	41,6	24	41,6	24			52	30	52	30			62,4	36	62,4	36
	61	54	61	54			62	55	62	55			63	56	63	56
	2 x 4"		2 x 4"				3 x 4"		3 x 4"				3 x 4"		3 x 4"	
	7241A		7242A				7251N		7252N				7261N		7262N	
	486	420	526	438			616	531	664	553			746	643	804	667
	90,8	78,4	98,3	81,8			115,2	99,3	124,1	103,3			139,4	120,1	150,4	124,7
	37	27	32	22			56	42	42	29			92	68	68	47
	154400	116000	145600	110400			193000	145000	182000	138000			231600	174000	218400	165600
	13600	9200	13600	9200			17000	11500	17000	11500			20400	13800	20400	13800
	29,6	16,8	29,6	16,8			37,0	21,0	37,0	21,0			44,4	25,2	44,4	25,2
	55	48	55	48			56	49	56	49			57	50	57	50
	2 x 4"		2 x 4"				3 x 4"		3 x 4"				3 x 4"		3 x 4"	
	1241A		1242A		1250N		1251A		1252A				1261A		1262A	
	450	355	455	335	498	415	570	450	575	425			690	545	700	512
	83,7	66	84,9	62,6	92,5	77,3	106	83,7	107,2	79,4			128,2	101,4	130,4	95,7
	32	21	25	14	81	58	58	38	43	24			94	61	69	39
	121600	88800	112800	80800	164000	123000	152000	111000	141000	101000			182400	133200	169200	121200
	6880	4240	6880	4240	8600	5300	8600	5300	8600	5300			10320	6360	10320	6360
	17,6	9,2	17,6	9,2	22	11,5	22	11,5	22	11,5			26,4	13,8	26,4	13,8
	50	43	50	43	51	44	51	44	51	44			52	45	52	45
	2 x 4"		2 x 4"		2 x 4"		2 x 4"		2 x 4"				2 x 4"		2 x 4"	
	8241A		8242A		8250N		8251A		8252A				8261A		8262A	
	402	330	420	331	448	385	513	421	535	417			621	509	647	503
	75,1	61,7	78,5	61,8	83,8	72,0	96,0	78,6	100,1	77,9			116,1	95,0	121,0	94,0
	25	18	20	13	64	49	46	32	36	23			74	51	57	36
	113600	87200	104000	78400	152000	119000	142000	109000	130000	98000			170400	130800	156000	117600
	6560	4160	6560	4160	8200	5200	8200	5200	8200	5200			9840	6240	9840	6240
	18,4	8,8	18,4	8,8	23,0	11,0	23,0	11,0	23,0	11,0			27,6	13,2	27,6	13,2
	48	43	48	43	49	44	49	44	49	44			50	45	50	45
	2 x 4"		2 x 4"		2 x 4"		2 x 4"		2 x 4"				2 x 4"		2 x 4"	
	5241B				5250A		5251A				5260N		5261A			
	309	246			358	302	384	304			433	365	463	367		
	57,7	46			66,9	56,5	71,7	56,8			81	68,4	86,6	68,6		
	94	63			58	42	27	18			70	51	43	29		
	75200	57600			102000	80000	94000	72000			122400	96000	112800	86400		
	2200	1400			2750	1750	2750	1750			3300	2100	3300	2100		
	6,4	3,2			8	4	8	4			9,6	4,8	9,6	4,8		
	39	33			40	34	40	34			41	35	41	35		
	4"				2 x 2 1/2"		2 x 4"				2 x 4"		2 x 4"			
	8		8		10		10		10		12		12		12	
	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△	△
	1050,4		1400,8		875		1313		1751		1050		1575,6		2101,2	
	67,3		89,7		56,1		84,1		112,1		67,3		100,9		134,5	
	198		252		171		238		305		198		278		359	
	1358		1497		1490		1684		1862		1797		2020		2233	

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

<https://luve.nt-rt.ru> || uev@nt-rt.ru